

Refine Search

Search Results -

Terms	Documents
(count near3 overflow\$3) near10 signal	541

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, November 03, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

<u>L1</u> (count near3 overflow\$3) near10 signal	541	<u>L1</u>
---	-----	-----------

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1	0

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, November 03, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L2</u> L1	0	<u>L2</u>
--------------	---	-----------

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

L1 (count near3 overflow\$3) near10 signal	541	<u>L1</u>
---	-----	-----------

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 same interrupt	40

Database:
 US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search: Refine Search

Recall Text
Clear
Interrupt

Search History

DATE: Thursday, November 03, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>			
<u>L3</u> 11 same interrupt	40		<u>L3</u>
<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L2</u> L1	0		<u>L2</u>
<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>			
<u>L1</u> (count near3 overflow\$3) near10 signal	541		<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L4 and interrupt.ab.	38

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database

EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, November 03, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

L5 L4 and interrupt.ab. 38 L5

L4 11 and process\$3 133 L4

L3 11.ab. 5 L3

DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L2 count\$3 near10 (interrupt near3 type) 6 L2

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

L1 count\$3 near10 (interrupt near3 type) 135 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
count\$3 near10 (interrupt near3 type)	135

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, November 03, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> <u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side		result set
<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>		
<u>L1</u> count\$3 near10 (interrupt near3 type)	135	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
count\$3 near10 (interrupt near3 type)	6

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, November 03, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name Query</u> <small>side by side</small>	<u>Hit Count</u>	<u>Set Name</u> <small>result set</small>
<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L2</u> count\$3 near10 (interrupt near3 type)	6	<u>L2</u>
<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>		
<u>L1</u> count\$3 near10 (interrupt near3 type)	135	<u>L1</u>

END OF SEARCH HISTORY



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "((count8<in>metadata) <and> (interrupt<in>metadata))<and> (type<in>..."

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail print friendly

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

- IEEE JNL IEEE Journal or Magazine
- IEE JNL IEE Journal or Magazine
- IEEE CNF IEEE Conference Proceeding
- IEE CNF IEE Conference Proceeding
- IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.





Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
[SUPPORT](#)

Results for "((count<in>metadata) <and> (Interrupt<in>metadata))<and> (type<in>..."

Your search matched 2 of 1253851 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail print friendly

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

 Check to search only within this results set

 Display Format: Citation Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

1. **Digital mobile communication system designed for nationwide police activities-WIDE system**
Inoue, R.;
Security Technology, 1996. 30th Annual 1996 International Carnahan Conference
2-4 Oct. 1996 Page(s):33 - 36
Digital Object Identifier 10.1109/CCST.1996.551839
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF
2. **Network based on SOM (Self-Organizing-Map) modules combined with statistical decision tools**
Graupe, D.; Kordylewski, H.;
Circuits and Systems, 1996., IEEE 39th Midwest symposium on
Volume 1, 18-21 Aug. 1996 Page(s):471 - 474 vol.1
Digital Object Identifier 10.1109/MWSCAS.1996.594203
[AbstractPlus](#) | Full Text: [PDF\(368 KB\)](#) IEEE CNF


[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved

 Indexed by



Wireless United States Patent and Trademark Office

Home | Login | Logout | Access Information | Alerts | Sitemap | Help

AbstractPlus

4 View Search Results | Next Article >

Access this document

Full Text: EDE (288 KB)

Download this citation

Choose Citation

Download EndNote ProCite RefMan


» Learn More

Rights & Permissions



» Learn More

SEARCH ENGINE SEARCH IEEE SPLCS# GUIDE SUPPORT



Digital mobile communication system designed for nationwide police activities-WIDE system

Jinoue, R.
Inf Commun, Bur., Nat. Police Agency of Japan, Tokyo, Japan.

This paper appears in: **Security Technology, 1996. 30th Annual 1996 International Carnahan Conference**

Publication Date: 2-4 Oct. 1996

On page(s): 33 - 36

Number of Pages: 296

Meeting Date: 10/02/1996 - 10/04/1996

Location: Lexington, KY

INSPec Accession Number:5425129

Digital Object Identifier: 10.1109/CCST.1996.551839

Posted online: 2002-08-06 20:41:07.0

Abstract:

In 1991, the National Police Agency (NPA) of Japan introduced a new **type** of digital mobile communication system, called the WIDE system, as a **countermeasure** against nationwide criminal cases. The WIDE system uses an exclusive radio network for police use. This enables police officers to communicate with each other at any time, even if the public network channels are all in use. The WIDE system has both press-to-talk (simplex) radio and telephone (duplex) functions, and it has such original features as (1) a nationwide communication link and contiguous coverage for broadcasting commands to all the WIDE system terminals in a investigation group (press-to-talk), (2) functioning as a mobile telephone which is connected to both the police and the public telephone network, (3) a function to establish a hotline (non-dialing), and (4) a function to connect a prior terminal call by **interrupting** an ordinary call when all radio channels are in use. Furthermore, the NPA have introduced new facilities and equipment to improve the service features of the WIDE system. For example, (1) we have developed and introduced a handy WIDE system terminal, which is small and similar to a cellular-phone, for high mobility (for walking policemen), (2) we have set up many radio relay stations, not only on the ground but also under the ground (in blind zones), such as in subway station yards, and (3) we have developed and introduced new data communication equipment and facsimile machines for the WIDE system, using this system, the policemen can transmit and receive image data

Index Terms
Inspec

Controlled Indexing

digital.radio land.mobile.radio police radiotelephony telephone.equipment

Non-controlled Indexing

National Police Agency of Japan WIDE system blind zones call interruption cellular telephone command
broadcasting contiguous coverage data communication equipment digital mobile communication system duplex
functions facsimile machines image data investigation group mobile telephone nationwide communication link
nationwide.crimie nondialing hotline press-to-talk.radio prior.terminal.call.connection public.telephone.network

[radio network](#) [radio relay stations](#) [simplex radio](#) [telephone functions](#) [walking policemen](#)

Author Keywords

Not Available


References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

[View Search Results](#) | [Next Article](#)



[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

[Copyright © 2005 IEEE. All Rights Reserved.](#)

EAST - [Untitled1:1]

File View Edit Tools Window Help


Drafts
 Pending
 Active
 L1: (85) count\$3 near10
 L2: (59) 11 and table
 L3: (3) 12 and descript
 L4: (20) 11 and (table
 Failed
 Saved
 Favorites
 Tagged (0)
 JDC
 Queue
 Trash

Search List Browse Queue Clear
 DBs USPAT Private
 Default operator: OR Highlight all hit terms initially

11 and (table near5 (descriptor or count))

BRS form IS&R form Image Text HTML

	U	I	Document ID	Issue Dat	Pages	Title	Current OR	Current X
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6904594 B1	20050607	40	Method and system for apportioning changes in	718/100	717/130; 717/158;
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6754890 B1	20040622	33	Method and system for using process identifie	717/128	
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6751789 B1	20040615	42	Method and system for periodic trace sampling	717/130	714/35; 717/131
4	<input type="checkbox"/>	<input type="checkbox"/>	US 6735758 B1	20040511	46	Method and system for SMP profiling using svn	717/130	
5	<input type="checkbox"/>	<input type="checkbox"/>	US 6732357 B1	20040504	36	Determining and compensating for tempor	717/158	
6	<input type="checkbox"/>	<input type="checkbox"/>	US 6728955 B1	20040427	38	Processing events during profiling of an	717/158	717/131
7	<input type="checkbox"/>	<input type="checkbox"/>	US 6728949 B1	20040427	34	Method and system for periodic trace sampling	717/127	712/233; 712/234;
8	<input type="checkbox"/>	<input type="checkbox"/>	US 6662358 B1	20031209	34	Minimizing profiling-related pertu	717/128	714/47; 717/130
9	<input type="checkbox"/>	<input type="checkbox"/>	US 6658652 B1	20031202	49	Method and system for shadow heap memory leak	717/128	707/206; 711/1;
10	<input type="checkbox"/>	<input type="checkbox"/>	US 6651243 B1	20031118	34	Method and system for periodic trace sampling	717/130	717/127; 717/128;
11	<input type="checkbox"/>	<input type="checkbox"/>	US 6604210	20030805	34	Method and system for	714/39	



- [-] Drafts
- [-] Pending
- [+] Active
 - [-] L1: (85) count\$3 near10
 - [-] L2: (59) 11 and table
 - [-] L3: (3) 12 and descriptor
 - [-] L4: (20) 11 and (table
- [-] Failed
- [-] Saved
- [-] Favorites
- [-] Tagged (0)
- [-] JDC
- [-] Queue
- [-] Trash

Search List Browse Queue Clear

DBs: USPAT Plural Highlight all hit terms initially

Default operator: OR



	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error	Definit	Er
1	BRS	L1	85	count\$3 near10 (interrupt near3 type	USPA	2005/11/03 14:00				
2	BRS	L2	59	11 and table	USPA	2005/11/03 14:02				
3	BRS	L3	3	12 and descriptor	USPA	2005/11/03 14:01				
4	BRS	L4	20	11 and (table near5 (descriptor or count)	USPA	2005/11/03 14:03				